

## FLAMINGO M10/156D 625-630W

### Supreme Quality



High Quality



Low Power Loss

High Quality and Low Power Loss ensure maximum energy yield and long-term reliability.



High Power Output



Long Lifetime

High Power Output and Long Lifetime ensure maximum energy yield and long-term reliability.

### Module Characteristics


12-Year

30-Year

1%

0.4%

Yield, Power Loss, and Efficiency characteristics over time.



At least 87.4% of nominal power up to 30 years



## Cable type

• /x „xòÔøðï0Â •x Â‡ ©μêÂ ø ? ½

Gxòïμø =xμø •x Â‡ ©μêÂ ø ? ½

Gxòïμø ExòïÔÂ GÂ\* òÂ ï0 hÂ·Ôðêøï0 ø ? ½

„xò0© êÂ· øðx· ø ? ½

\ aøê© Qa 6Ôø R ø ø © xøð

]n/„n /G nah]... M ? ½

an<,Mn ...MG', M ? M ?h

;x©ðï/x ;xòçø Y~ E© Â x©ê ø ? ½

a 6Ôø „ øðï YÔø ø)øê ©x· hÂ·ÔðêøïxÂ ø ? ½

## Connector type

Y~•E,Ê Gxòïμø ExòïÔÂ GÂ\* òÂ ï0 hÂ·Ôðêøï0 ø ? ½

\ É ÆÂ•½ \ aøê© Qa 6Ôø R ø ø © xøð

\ É ÆÂ•©μ \ aøê© Qa 6Ôø R ø ø © xøð

\ É \ aøê© Qa 6Ôø R ø ø © xøð

hÉ•YY •Æ hÉ•Y •Æ Ô©ðï Ô hêx©ð ø ? ½

Y~É•a0/‡Y~É•aê0/ h0·ø êÂ· øðx· x© 'ðμ,

Y~•=ahÉ• ~MÇ1/0‡Y~•= hÉ• ~MÇ1/0 a ® μêx êÂ· x·©ê ·øðòÂ· ø '

Y~•=ahÉ• ~MÇ 1/0‡Y~•= hÉ• ~MÇ 1/0 a ® μêx êÂ· x·©ê ·øðòÂ· ø '

Y~•;=ÂÈE1/0 ;x©ðï/x ;xòçø Y~ E© Â x©ê ø ? ½

Y~•;=ÂÈEÆ1/06 ;x©ðï/x ;xòçø Y~ E© Â x©ê ø ? ½

Y~•;=ÂÈEÇ1/0 ;x©ðï/x ;xòçø Y~ E© Â x©ê ø ? ½

Y~•=ahÉ• ~MÇ1/0"n]‡Y~•= hÉ• ~MÇ1/0"n] a ® μêx êÂ· x·©ê ·øðòÂ· ø '

Y~•„hÆÂÆ Æ Y~•„hÆÂÆ Ç „hÇ a 6Ôø „ øðï YÔø ø)øê ©x· hÂ·ÔðêøïxÂ ø ? ½

Y~•'=ÂÆ 'øçxò aøê© ø ? ½